

Brother COLOUR LASER PRINTER

Simple and easy to use, wireless colour laser printer

Print

The colour laser HL-L8260CDW, is designed to be robust and comes with a host of security and mobile printing features.



Key Features:

Fast print speeds of up to 31ppm colour and monochrome

Paper input of up to 300 sheets

Maximum paper input of up to 1,050 sheets

Automatic 2-sided (duplex) Printing

Optional high-yield replacement cartridges, 4,500 black, 4,000 page cyan, magenta and yellow toner cartridges

Built-in Gigabit Ethernet 10Base-T/100Base-TX/1000Base-T

Increase productivity levels

- Productivity is increased significantly thanks to the fast print speeds of up to 31ppm in colour and monochrome.
- Maximise your efficiency with built-in wireless IEEE 802.11b/g/n and Gigabit Ethernet 10Base-T/100Base-TX/1000Base-T.
- Easily print from your mobile device, using Brother's iPrint&Scan, Brother print service plugin for Android, Google Cloud Print 2.0, Mopria and AirPrint.

Meet your IT challenges

- Modern businesses demand the highest levels of security. With Secure Function Lock 3.0, IPsec, 802.1x and Secure Print, you can be confident that your documents are safe.
- Manage your print fleet with free printer management software BRAdmin Professional 3.

Flexible and low running costs

- Designed for flexible printing requirements, the HL-L8260CDW includes an inbox black 3,000 page toner, and cyan, magenta and yellow 1,800 page toner, and can take an optional high-yield 4,500 page black and 4,000 page cyan, magenta and yellow page toners to lower your running costs even further.
- Great paper handling options, with a standard paper capacity of up to 300 sheets, expandable to 1,050 sheets.

General

| | |
|--|---|
| Technology | Electrophotographic Laser Printer |
| Laser Classification | Class 1 Laser Product (IEC60825-1:2007) |
| Processor | 800MHz - Sub:133MHz |
| Print Speed Standard (A4) | Up to 31ppm (pages per minute) colour & monochrome |
| Print Speed 2-sided (duplex) (A4) | Up to 14 sides per minute (7 sheets per minute) colour & monochrome |
| Resolution | 2,400dpi (2,400 x 600dpi), 600 x 600dpi |
| Quiet Mode | A mode to reduce the printing noise by reducing the print speed to 15ppm |
| Memory | 256MB |
| Local Interface | Hi-Speed USB 2.0 & USB Host |
| Wired Network Interface | Gigabit Ethernet 10Base-T/100Base-TX/1000Base-T |
| Wireless Network Interface | IEEE 802.11b/g/n |
| Display | 2 line, 16 character backlit display |
| FPOT (First Print Out Time) | Less than 15 seconds colour & monochrome from ready mode |
| Warm-Up Time | Less than 29 seconds from sleep mode |
| Print Languages | PCL6, BR-Script3 (PostScript®3™ Language Emulation), PDF 1.7, XPS |
| Embedded Fonts (PCL) | 66 scalable fonts, 12 bitmap fonts, 16 barcodes |
| Embedded Fonts (Postscript) | 66 scalable fonts |
| Embedded Barcodes (PCL) | Code39, Interleaved 2 of 5, FIM (US-PostNet), Post Net (US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI |

Printer Driver

| | |
|--|--|
| Windows® | Windows 10® (32 & 64 bit editions) Windows 8® (32 & 64 bit editions) Windows 7® (32 & 64 bit editions) Windows® Server 2016, 2012, 2012R2 & 2008R2 Windows® Server 2008 (32 & 64 bit editions) |
| Macintosh⁵ | Mac OS 10.10.5, 10.11.x, 10.12.x |
| Linux⁵ | CUPS, LPD/LPRng (x86/x64 environment) |
| PostScript Universal Printer Driver | Driver for Windows® that enables you to print to any network or locally connected Brother laser printer that supports PostScript |
| PCL Driver | Generic PCL XL driver |

USB Host

| | |
|---------------------|---|
| Direct Print | Print directly from a USB flash memory drive. The supported file formats include: PDF version 1.7, JPEG, Exif+JPEG, PRN (created by own printer driver), TIFF (scanned by Brother model), XPS version 1.0 |
|---------------------|---|

Printer Functions

| | |
|--|--|
| N-up Printing³ | Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16) |
| Poster Printing⁴ | Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages |
| Watermark Printing⁴ | Watermark your documents with predefined text or with your own user-defined messages |
| ID Printing⁴ | Add identification to your printed documents (date & time, short custom message or PC username) |
| Manual 2-sided (duplex) Print⁴ | Manual 2-sided (duplex) printing (recommended for media not supported by automatic 2-sided (duplex) print) |
| Automatic 2-sided (duplex) Print | Print on both sides of the paper automatically |
| Booklet Printing⁴ | Print documents in A5 booklet format using automatic or manual 2-sided (duplex) print |
| Skip Blank Page⁴ | Ignores any blank pages in your documents by not printing them |
| Print Profiles³ | Store your favourite driver settings as profiles to easily recall them |

Standard Paper Handling

| | |
|---------------------------------|---|
| Paper Input² | Lower Tray – 250 sheets Multi Purpose Tray – 50 sheets |
| Paper Output² | Face Down - 150 sheets Face Up (Straight Paper Path) - 1 sheet |

Optional Paper Handling

| | |
|--------------------------------|--|
| Paper Input² | 250 Sheets (LT-330CL) Maximum of 3 optional trays |
|--------------------------------|--|

Media Specification

| | |
|--------------------------------------|---|
| Media Types & Weights | Standard Tray – plain, recycled, coloured and letterhead (between 60 - 105g/m ²) Multi Purpose Tray - plain, recycled, bond, coloured, letterhead and glossy ⁷ paper (between 60 - 163g/m ²) 2-sided (duplex) Print - plain, recycled, coloured, letterhead and glossy ⁷ paper (between 60 - 105g/m ²) |
| Envelope & Label Printing | Yes, from the Multi Purpose Tray: support for 10 envelopes up to 10mm total thickness |
| Media Sizes | Standard Tray - A4, Letter, A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal Multi Purpose Tray - Width: 76.2mm to 215.9mm x Length: 127mm to 355.6mm 2-sided (duplex) Print - A4 |

Mobile / Web Based Printing

| | |
|---|--|
| iPrint&Scan (Android) | Print directly from a smart phone or tablet running the Android Operating System |
| iPrint&Scan (iPad / iPhone) | Print directly from an iPad / iPhone |
| iPrint&Scan (Windows® Phone) | Print directly from a smart phone running the Windows® Phone Operating System |
| Print&Scan (Windows® 8, 10 & RT) | Print directly from a Windows® 8, 10 or Windows RT Tablet |
| Google Cloud Print^{2.0} | Print most common file types from any Google Cloud Print enabled application |
| Apple AirPrint | Print most common file types from any Apple AirPrint enabled application |
| Brother Print Service Plugin | Print from Android devices without a dedicated App |

¹ Approx declared yield value in accordance with ISO/IEC 19798

² Calculated with 80g/m² paper

³ Windows® & Mac only

⁴ Windows® only

⁵ Optional download

⁶ Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

⁷ Only a single sheet supported in the Multi Purpose Tray

Network and Security

| | |
|---|--|
| Wired Network | Built in Gigabit Ethernet 10Base-T/100Base-TX/1000Base-T |
| Wireless Network | IEEE 802.11b/g/n (Infrastructure Mode) |
| Network Protocols | TCP/IP (IPv4 and IPv6) |
| IPv4 | ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTp client |
| IPv6 | NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTp Client |
| Wired Network Security | SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec |
| Wireless Network Security | WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP), SNMP v3 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec |
| Wi-Fi Direct™ | Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported) |
| Wireless Setup Support | Wi-Fi Protected Setup (WPS) |
| Wireless Applications | Vertical Pairing |
| Print Log To Network⁴ | Records printing activities from each individual user, including network username, name of document printed and number of pages, to a file on a network |
| E-mail Notifications | Automatically have the device send an E-mail to a nominated E-mail address when it requires attention |
| E-mail Reports | Receive usage reports on a regular basis via E-mail |
| IP Filter | Restrict which network users can or cannot access the device over the network (IPv4 only) |
| Secure Function Lock 3.0 | Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 200 users |
| Setting Lock | Restrict access to the control panel |
| Secure Print³ | Protect print jobs with a 4 digit release code required at the device in order for them to be printed |

Fleet Management Tools

| | |
|---|--|
| Unattended Installer⁴ | Ability to centrally deploy and customise our drivers and software |
| MSI Installer⁴ | Modular installers that can be distributed through Active Directory® |
| Embedded Web Server | Web based print management software embedded onto the device |
| BRAdmin Professional 3^{4&5} | Fleet management software |
| Driver Deployment Wizard⁴ | Easily create print drivers for hassle free deployment over your network |

Supplies & Accessories

| | |
|------------------------------------|--|
| Inbox Toners | Black Toner – 3,000 pages ¹ Cyan, Magenta & Yellow Toners - 1,800 pages ¹ |
| Standard Yield Toners | Black Toner (TN-441BK) 3,000 pages ¹ Cyan Toner (TN-441C) 1,800 pages ¹ Magenta Toner (TN-441M) 1,800 pages ¹ Yellow Toner (TN-441Y) 1,800 pages ¹ |
| High Yield Toners | Black Toner (TN-443BK) 4,500 pages ¹ Cyan Toner (TN-443C) 4,000 pages ¹ Magenta Toner (TN-443M) 4,000 pages ¹ Yellow Toner (TN-443Y) 4,000 pages ¹ |
| Other Supplies | Drum (DR-441CL) Approx. 50,000 pages at 3 pages per job, Approx. 30,000 pages at 1 page per job Belt (BU-330CL) Approx. 130,000 pages at 3 pages per job, Approx. 50,000 pages at 1 page per job Waste Toner Box (WT-320CL) Up to 50,000 pages |
| Carton Contents | Toner Cartridges, Drum, Belt, Waste Toner Box, Power Supply Cord, Driver Software For Windows®, Quick Set-Up Guide, PC Interface Cable NOT Included, |
| LT-330CL | Optional 250 sheet Lower Paper Tray (Maximum of 3) |
| Environment | |
| Power Consumption | Printing - 580W, ready - 70W, sleep – 10.0W, deep sleep – 1.2W, power down - 0.02W |
| TEC Value | 1.8kWh / Week |
| Sound Pressure Level | Printing – 49dBa, quiet mode printing – 44dBa, ready – inaudible |
| Sound Power Level | Printing – 6.56BA, quiet mode printing – 6.0, ready – inaudible |
| Power Saving | This enables the printer to consume less energy when not in use |
| Toner Saving | This reduces the toner usage and helps to reduce the total cost of printer ownership |
| Energy Star | Yes |
| Dimensions & Weight | |
| With Carton (WxDxH) | 617 x 533 x 521mm (25.4kg) |
| Without Carton (WxDxH) | 410 x 486 x 313mm (21.8kg) |
| Duty Cycles | |
| Recommended Monthly | Up to 3,000 pages monthly print volume |
| Maximum Monthly⁶ | Up to 40,000 pages monthly print volume |



brother
at your side



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com