





# Colour wireless LED 4-in-1 printer

MFC-L3745CDW



# **Colour wireless LED 4-in-1 printer**

The feature rich MFC-L3745CDW offers full colour prints with fastest in its class print speeds of up to 22 pages<sup>6</sup> per minute. With both wired and wireless connectivity, and the ability to print straight from your mobile, this machine can support the busiest of offices. The 9.3cm colour touchscreen will allow you to access your favourite features quickly and easily.

### MFC-L3745CDW

### **Key Features:**

- Fast print speeds of up to 22 pages<sup>6</sup> per minute
- Large paper capacity of 250 sheets
- Automatic 2-sided (duplex) printing
- 50 sheet Auto Document Feeder (ADF)
- Easy to use 9.3cm colour touchscreen
- Wired and wireless connectivity
- Print from or scan directly to a USB stick
- Up to 1,000 pages<sup>1</sup> in-box toners

connectivity



#### Productivity gains for your business

Watch your business productivity soar with up to 22PPM print speeds<sup>6</sup> and the time-saving 50 sheet ADF - scanning or copying documents has never been easier.



# Best value - get business features at low running costs

With high-yield toners available (up to 2,500 pages' BK and 2,300 pages' CMY), your business can now benefit from super low running costs with high quality 2400dpi printing and bundled with industry leading Nuance document software, ensuring you get maximum value from an economical multi-function device.



## Designed to go the distance

Wireless, mobile and cloud

Built to perform for longer, the MFC-L3745CDW has been designed with you in mind. Made from robust and hard wearing materials and supported by outstanding service as standard, Brother's award winning<sup>9</sup> reliability allows you to deliver uncompromised performance at all times.

Loads of connectivity options for your business. Print

wirelessly from your desktop, laptop, smartphone or tablet for mobile device printing and scanning.

General		Embedded Fonts (Postscript)	66 scalable fonts	
Technology	Electrophotographic LED	Embedded Barcodes (PCL)	*Code39, Interleaved 2 of 5, FIM (US-PostNet) Post Net (US-PostNet) EAN-8, EAN-13, UPC-A, UPC-E,	
Processor	Cortex-A9 800MHz Sub: ARM946 133MHz		Codabar ISBN (EAN) ISBN (UPC-E) Code128 (set A, set B, set C) EAN128 (set A, set B, set C) Code93 GS1Databar MSI	
Wired Network	Ethernet 10Base-T/100Base-TX	Printer Functions		
Wireless Network	IEEE 802.11b/g/n	N-up Printing <sup>3</sup>	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just	
Control Panel	9.3cm colour touchscreen		one A4 page (Mac, up to 2, 4, 6, 9, or 16)	
Memory	512MB	Poster Printing <sup>₄</sup>	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25	
Local Interface	Hi-Speed USB 2.0	Watermark Drinting4	A4 pages	
Mobile Print	Print from your mobile devices to your Brother printer	Watermark Printing <sup>₄</sup>	Watermark your documents with predefined text or with your own user-defined messages	
Print		ID Printing <sup>₄</sup>	Add identification to your printed documents (date & time, short custom message or PC username)	
Print Speed (A4)	Up to 22PPM Colour & Monochrome	Manual 2-sided (duplex) Print4	Manual 2-sided (duplex) printing (recommended for	
Print Speed (A4) Print Speed 2-sided (duplex) (A4)	Up to 8 sides per minute Colour & Monochrome - print		media not supported by automatic 2-sided (duplex) print)	
Finit Speed 2-Sided (duplex) (A4)	on to both sides of the paper automatically	Booklet Printing⁴	Print documents in A5 booklet format using automatic	
Resolution	2,400 dpi (600 x 2400)	<b>J</b>	or manual 2-sided (duplex) print	
Quiet Mode	A mode to reduce the printing noise by reducing the print speed	Print Profiles <sup>3</sup>	Store your favourite driver settings as profiles to easily recall them	
FPOT (First Print Out Time)	Less than 14 seconds from ready mode	Print Text In Black <sup>4</sup>	Converts all text in your documents to black when printed	
Warm Up Time	Less than 24 seconds from sleep mode	Print from USB	Print directly from a USB flash drive (PDFv1.7, JPEG,	
Print Languages	PCL6, BR-Script3		TIFF)	
	PDF Version 1.7, XPS Version 1.0	Configurable Shortcuts	Create up to 18 personalised shortcuts for a quick and easy access to your regularly print, copy, scan and fax	
Embedded Fonts (PCL)	73 scalable fonts, 12 bitmap fonts		functions	



Printer Drivers		Grey Scale	256 shades of grey (8 bit)
Windows®	Windows <sup>®</sup> 10 (32 & 64 bit editions), Windows <sup>®</sup> 8 (32	Receipt Copying	Produces clearer copies of receipts
	<ul> <li>&amp; 64 bit editions), Windows<sup>®</sup> 7 (32 &amp; 64 bit editions),</li> <li>Windows<sup>®</sup> Server 2016 (32 &amp; 64 bit editions)*,</li> <li>Windows<sup>®</sup> Server 2012, 2012R2 &amp; 2008R2*,</li> <li>Windows<sup>®</sup> Server 2008 (32 &amp; 64 bit editions)*</li> </ul>	Enlarge Text Copy <sup>6</sup>	Makes reading copied documents easier if the size of the text on the original document is small
Macintosh⁵	macOS v10.11.6, 10.12.x, 10.13.x	Scan	
Linux⁵	CUPS, LPD/LPRng (32 & 64 bit editions)		CIP (Contact Image Sensor)
PostScript Universal Printer Driver⁵	Driver for Windows <sup>®</sup> that enables you to print to any network or locally-connected Brother laser printer that	Scanner Type Colour & Monochrome Scanning	CIS (Contact Image Sensor)
	supports PostScript	Ŭ	Yes
PCL Driver <sup>5</sup>	Generic PCL XL driver	Scan Speed Monochrome	27ipm (images per minute)
		Scan Speed Colour Scan Resolution from Scanner Glass	21ipm (images per minute) Up to 1,200 x 2,400dpi
Paper Handling		Interpolated Scan Resolution	Up to 19,200 x 19,200dpi
Paper Input	Standard Tray - 250 sheets ADF - 50 Sheets	Scan Resolution from ADF	Up to 600 x 600dpi
	Manual feed slot - 1 sheet	Colour Depth	48 bit colour Processing (Input)
Paper Output	150 sheets Face Down (80g/m2) 1 sheet face-up (straight paper path)	Grey Scale	24 bit colour Processing (input) 16bit colour Processing (Output)
Media Type & Weights Standard Tray	Plain & Recycled paper (between 60 - 163g/m2)	Citey State	8bit colour Processing (Input)
Media Sizes Standard Tray	A4, Letter, A5, A5 (Long Edge), A6, Executive		
Media Type & Weights ADF	Plain & Recycled paper (between 60 - 105g/m2)		
Media Sizes ADF	Width 105 to 218 mm, Length 148 to 357.6 mm	Scanner Functions	
Media Type & Weights Manual feed	Plain, Recycled, Bond, Label, Envelope paper (between 60 - 1630/m2)	Scan to E-mail	Scan and share documents via e-mail client
slot Media Sizes Manual feed slot	Width 76.2 to 216 mm	Scan to OCR	Scan documents directly into your word processing application for instant editing
	Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch	Scan to Image	Scan into your preffered image editing software
Envelope & Label Printing	Yes, from the manual feed slot: support for 1	Scan to File	Scan to a file on your computer
	envelope / sheet	Scan to USB	Scan directly to a USB flash drive
Mobile and Web		Scan to Network Folder	Scan documents to a nominated folder on your network without using a Windows PC
Connectivity	Drint from accorts, conditions, proving reached fores	Scan to FTP	Scan documents directly to a FTP server
Brother iPrint&Scan (Android)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device	Scan Profile3	Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings
Brother iPrint&Scan	Print from, scan to, send faxes, preview received faxes,	Scan to SharePoint <sup>4&amp;7</sup>	Scan documents directly into SharePoint
(iPad / iPhone / iPod) pre	preview copies and check the machine status from an iPad / iPhone / iPod Touch	Scan to Searchable PDF Auto Deskew	Scan documents to searchable PDF files Yes
Brother iPrint&Scan (Windows® Phone)	Print from and scan to a smart phone running the Windows® Phone Operating System	Base Colour Removal	Yes Yes
Brother Print&Scan (Windows® 8,10 & RT)	Print from and scan to a Windows <sup>®</sup> 8,10 or Windows RT Tablet	1 to 2 Scan	Yes
Google Cloud Print 2.0	Print most common file types from any Google Cloud Print enabled application		
Apple AirPrint	Print from and scan to most common file types from any AirPrint enabled application	Scanner Drivers	
Brother Print Service Plugin	Print from Android devices without a dedicated App	Windows®	TWAIN & WIA Windows <sup>®</sup> 10 (32 & 64 bit editions), Windows <sup>®</sup> 8 (32 & 64 bit editions), Windows <sup>®</sup> 7 (32 & 64 bit editions)
Mopria	Print most common file types from Mopria supported Android devices	Macintosh <sup>5</sup>	TWAIN macOS v10.11.6, 10.12.x, 10.13.x
Brother Apps <sup>8</sup>	Print creative center, Scan to Mobile, Scan to Searchable PDF, Enlarge Text Copy, Fax forward to Cloud/E-mail, Scan to PowerPoint, Scan to Excel, Scan to Word, Easy scan to E-mail	Linux <sup>5</sup>	SANE (32 & 64 bit editions)
Web Connect <sup>®</sup>	Print from and scan to without using a PC on Box,	Fax	
	Dropbox, Evernote, OneDrive, Google DriveTM OneNote	Fax Modem	33,600bps (Super G3)
		PC Fax Send3&8 and Receive <sup>488</sup>	Send and Receive faxes directly from your PC
Сору		2-sided (duplex) Fax Receive	Yes
Print Speed (A4)	Up to 24CPM <sup>10</sup> Colour & Monochrome	Memory Transmission	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
FCOT (First Copy Time Out)	Less than 15 seconds from ready mode Colour & Monochrome	Out of Paper Reception	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Resolution	Up to 600 x 600dpi	Error Correction Mode (ECM)	The MFC will detect line errors during fax transmission
Multi-Copying/Stack/Sort	Makes up to 99 copies of each page / Stacks or Sorts		and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)
Enlargement/Reduction Ratio	Reduce or increase document sizes from 25% to 400% in 1% increments	Auto Reduction	When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the
N in 1 Copying	Allows the user to compress 2 or 4 pages on to a single A4 sheet	Broadcasting	message to fit onto a single A4 sheet Send the same fax message up to 250 locations
2in1 ID Copying	Allows the user to copy both sides of an ID card to a single A4 sheet	5	0 1
	או ועוש אין או ושטו	Grey Scale	256 shades (8 bit) of grey are available for faxing

MFC-L3745CDW | Page 3

Fleet Management Tools	
Unattended Installer <sup>4</sup>	Ability to centrally deploy and customise our drivers
MSI Installer4	and software Modular installers that can be distributed through Active
BRAdmin Light485	Directory® LAN/WAN management software
Embedded Web Server	Web based print management software embedded
	onto the device
Driver Deployment Wizard <sup>485</sup>	Easily create print drivers for hassle free deployment over your network
Software	
Brother iPrint&Scan (Windows & Mac)⁵	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from windows or macOS PC
Nuance® PaperPort 14 SE⁵	Document management & sharing program
Network and Security	
Wired Network	Ethernet 10Base-T/100Base-TX
Wired Network Security	APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos
Wireless Network	IEEE 802.11b/g/n (Infrastructure Mode) IEEE 802.11g/n (Wi-Fi Direct)
Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only.APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos
Wireless Setup Support	Wi-Fi Protected Setup (WPS)
Wireless Applications	Vertical Pairing
Wi-Fi Direct™	Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)
IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client
IPv6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print/Scan)
IP Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
Secure Print	Protect print jobs with a 4 digit release code required at the device in order for them to be printed
Setting Lock	Secures access to the devices control panel by locking it
Secure Function Lock 3.0	Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users
E-mail Notifications	Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing
E-mail Reports	Receive usage reports on a regular basis via e-mail
Supplies and Accessories	
In-box Toner	Up to 1,000 pages <sup>1</sup> C/M/Y/BK
Standard-Yield Toner	Up to 1,300 pages1 C/M/Y (TN-253)

Up to 2,500 pages1 BK (TN-253)

Up to 2,300 pages1 C/M/Y (TN-257)

Up to 18,000 pages1 (1 page / job) (DR-253CL)

<b>Dimensions and Weights</b>	
Without Carton (WxDxH)	410 x 475 x 414 mm -23.4kg
With Carton (WxDxH)	589 x 523 x 568 mm - 27.6kg
Duty Cycles	
Recommended Monthly	300 to 1,500 pages <sup>9</sup> monthly print volume
Environment	
Power Consumption	Printing - 430W, Ready - 75W, Quiet Mode - 260W, Sleep - 10.1W, Deep Sleep - 1.2W, Off - 0.04W
TEC Value	1.3 kWh/Week
Sound Pressure Level	Printing - 47dB(A) Ready - 33dB(A) Quiet Mode - 43dB(A)
Sound Power	Printing - 6.11B(A) Monochrome / 6.16B(A) Colour Ready - 4.67B(A), Quiet Mode - 5.71B(A) Monochrome / 5.73B(A) Colour, Deep Sleep - Inaudible
Power Saving	This enables the printer to consume less energy when not in use
Toner Save Mode	This reduces the toner usage and helps to reduce the total cost of printer ownership
Energy Star	Yes
Eco Mode	Yes

1 Approx declared yield value in accordance with ISO/IEC 19798.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows<sup>®</sup> & Mac<sup>®</sup> only. 4 Windows<sup>®</sup> only.

5 Optional download.

6 ISO print speed based on ISO/IEC 24734 (after first set of ISO test pages).

7 Requires Brother Software.

8 ISO copy speed is based on ISO/IEC 24735.

9 The recommended range of monthly printed pages to achieve the best possible performance and printer life. Printers are intended to handle occasional usage beyond the range with little or no effect. Consistently printing above the recommended print volume, however, may adversely affect the print quality or life of the machine. It is always best to choose a printer with an appropriate recommended print volume to allow for any anticipated increase in printing needs.

\* Windows® Server supports network printing only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



#### Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call Brother this approach Brother Earth.

www.brotherearth.com

youtube.com/user/BrotherAU/videos

in,

Earth



linkedin.com/company/brother-international-australia/

High-Yield Toner

Drum Unit