





Colour wireless LED 4-in-1 printer

MFC-L3770CDW



Colour wireless LED 4-in-1 printer

Our top of the range model offers full business support with a 2-sided (duplex) Automatic Document Feeder (ADF) for time saving fax, scan and copy as well as a 30 sheet multi-purpose tray for printing on heavier and different sized media. The built in Near-Field Communication (NFC) allows you to tap and print from your mobile, making this quick and quiet machine your perfect office partner.

MFC-L3770CDW

Key Features:

- Fast print speeds of up to 24 pages⁶ per minute
- Large paper capacity of 250 sheets
- Automatic 2-sided (duplex) printing & scanning
- 50 sheet Auto Document Feeder (ADF)
- Easy to use 9.3cm colour touchscreen



Fastest printing in its class with duplex scanning

Watch your business productivity soar with up to 24PPM print speeds⁶ and the time-saving 50 sheet 2-sided (duplex) ADF - scanning or copying 2-sided (duplex) documents has never been easier.

<u>\$</u>	
==	000

Best value - get business features at low running costs

With high-yield toners available (up to 2,500 pages¹ BK and 2,300 pages¹ CMY), your business can now benefit from super low running costs with high quality 2400dpi printing and bundled with industry leading Nuance document software, ensuring you get maximum value from an economical multi-function device.

• Wired and wireless connectivity & NFC for mobile print

- 30 sheet multi-purpose tray
- Print from or scan directly to a USB stick
- Up to 1,000 pages¹ in-box toners



Wireless, mobile and cloud connectivity

All the connectivity options you need for your business. Print wirelessly from your desktop, laptop, smartphone or tablet or use the convenient NFC feature for mobile device printing and scanning.



Designed to go the distance

Built to perform for longer, the MFC-L3770CDW has been designed with you in mind. Made from robust and hard wearing materials and supported by outstanding service as standard, Brother's award winning⁹ reliability allows you to deliver uncompromised performance at all times.

General			
Technology	Electrophotographic	Embedded Fonts (Postscript)	66 scalable fonts
Processor	LED Cortex-A9 800MHz Sub: ARM946 133MHz	Embedded Barcodes (PCL)	*Code39, Interleaved 2 of 5, FIM (US-PostNet) Post Net (US-PostNet) EAN-8, EAN-13, UPC-A, UPC-E, Codabar ISBN (EAN) ISBN (UPC-E) Code128 (set A, set B, set C) EAN128 (set A, set B, set C) Code93
Memory	512MB		GS1Databar MSI
Wired Network	Ethernet 10Base-T/100Base-TX	Printer Functions	
Wireless Network	IEEE 802.11b/g/n	N-up Printing ³	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just
Control Panel	9.3cm Colour Touchscreen		one A4 page (Mac, up to 2, 4, 6, 9, or 16)
NFC	Integrated Near-Field Communication (NFC), for mobile print	Poster Printing ⁴	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages
Local Interface	Hi-Speed USB 2.0	Watermark Printing ⁴	Watermark your documents with predefined text or with your own user-defined messages
Mobile Print	Print from your mobile devices to your Brother printer	ID Printing ⁴	Add identification to your printed documents (date & time, short custom message or PC username)
Print Speed (A4) Print Speed 2-sided (duplex) (A4)	Up to 24PPM ^e Colour & Monochrome Up to 8 Sides per minute	Manual 2-sided (duplex) Print ⁴	Manual 2-sided (duplex) printing (recommended for media not supported by automatic 2-sided (duplex) print)
	Colour & Monochrome	Booklet Printing ⁴	Print documents in A5 booklet format using automatic or manual 2-sided (duplex) print
Resolution Quiet Mode	2,400 dpi (600 x 2400) A mode to reduce the printing noise by reducing the print speed	Print Profiles ³	Store your favourite driver settings as profiles to easily recall them
FPOT (First Print Out Time)	Less than 14 seconds from ready mode	Print Text In Black ⁴	Converts all text in your documents to black when printed
Warm Up Time	Less than 24 seconds from sleep mode	Print from USB	Print directly from a USB flash drive (PDFv1.7, JPEG,
Print Languages	PCL6, BR-Script3		TIFF)
	PDF Version 1.7, XPS Version 1.0	Configurable Shortcuts	Create up to 18 personalised shortcuts for a quick and easy access to your regularly print, copy, scan and fax
Embedded Fonts (PCL)	73 scalable fonts, 12 bitmap fonts		functions



Printer Drivers		2in1 ID Copying
Windows [®]	Windows [®] 10 (32 & 64 bit editions), Windows [®] 8 (32	2im ib oopying
	& 64 bit editions), Windows® 7 (32 & 64 bit editions),	Grey Scale
	Windows [®] Server 2016 (32 & 64 bit editions)*, Windows [®] Server 2012, 2012R2 & 2008R2*,	Receipt Copying
	Windows® Server 2008 (32 & 64 bit editions)*	Enlarge Text Copy ⁸
Macintosh ⁵	macOS v10.11.6, 10.12.x, 10.13.x	2-sided (duplex) Copy
Linux ⁵	CUPS, LPD/LPRng (32 & 64 bit editions)	
PostScript Universal Printer Driver ⁵	Driver for Windows® that enables you to print to any network or locally-connected Brother laser printer that	Scan
	supports PostScript	Scanner Type Colour & Monochrom
PCL Driver ⁵	Generic PCL XL driver	Scan Speed Monoch
Paper Handling		Scan Speed Colour
Paper Input	Standard Tray - 250 sheets	Scan Speed 2-sided (
	ADF - 50 Sheets Multi Purpose Tray - 30 Sheets	Scan Resolution from
Paper Output	150 sheets Face Down (80g/m2) 1 sheet face-up (straight paper path)	Scanner Glass Interpolated Scan Resolution
Media Type & Weights Standard Tray	Plain & Recycled paper (between 60 - 163g/m2)	Scan Resolution from
Media Sizes Standard Tray	A4, Letter, A5, A5 (Long Edge), A6, Executive	Colour Depth
Media Type & Weights 2-sided (duplex) Print	Plain & Recycled paper (between 60 - 163g/m2)	Grey Scale
Media Sizes 2-sided (duplex) Print	A4	
Media Type & Weights ADF	Plain & Recycled paper (between 60 - 105g/m2)	Scanner Functi
Media Sizes ADF	Width 105 to 218 mm, Length 148 to 357.6 mm	Scan to E-mail
Media Type & Weights Multipurpose Tray	Plain, Recycled, Bond, Label, Envelope paper (between 60 - 163g/m2)	Scan to OCR
Media Sizes Multipurpose Tray	Width 76.2 to 216 mm Length 116 to 355.6 mm	Scan to Image Scan to File
	Envelope; COM-10, DL, C5, Monarch	Scan to USB
Envelope & Label Printing	Yes, from the multi-purpose tray: support for 30 sheets / 3 envelopes	Scan to Network Fold
Mobile and Web		Scan to FTP
Connectivity		Scan Profile3
Brother iPrint&Scan (Android)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device	Scan to SharePoint48
Brother iPrint&Scan	Print from, scan to, send faxes, preview received faxes,	Scan to Searchable P
(iPad / iPhone / iPod)	preview copies and check the machine status from an iPad / iPhone / iPod Touch	Auto Deskew
Brother iPrint&Scan	Print from and scan to a smart phone running the	Base Colour Removal
(Windows® Phone)	Windows [®] Phone Operating System	ID Scan
Brother Print&Scan (Windows [®] 8,10 & RT)	Print from and scan to a Windows® 8,10 or Windows RT Tablet	1 to 2 Scan
Google Cloud Print 2.0	Print most common file types from any Google Cloud Print enabled application	Scanner Driver
Apple AirPrint	Print from and scan to most common file types from any AirPrint enabled application	
Brother Print Service Plugin	Print from Android devices without a dedicated App	Macintosh ⁵
Mopria	Print most common file types from Mopria supported Android devices	Linux ⁵
Brother Apps ⁸	Print creative center, Scan to Mobile, Scan to	Fax
	Searchable PDF, Enlarge Text Copy, Fax forward to Cloud/E-mail, Scan to PowerPoint, Scan to Excel, Scan to Word, Easy scan to E-mail	Fax Modem PC Fax Send ^{3&8} and
Web Connect ⁸	Print from and scan to without using a PC on Box,	Receive ⁴⁸⁸
	Dropbox, Evernote, OneDrive, Google DriveTM OneNote	2-sided (duplex) Fax I Memory Transmission
Сору		Out of Paper Reception
Print Speed (A4)	Up to 24CPM ¹⁰ Colour & Monochrome	
FCOT (First Copy Time Out)	Less than 15 seconds from ready mode Colour & Monochrome	Error Correction Mod
Resolution	Up to 600 x 600dpi	
Multi-Copying/Stack/Sort	Makes up to 99 copies of each page / Stacks or Sorts	Auto Reduction
Enlargement/Reduction Ratio	Reduce or increase document sizes from 25% to 400% in 1% increments	
N in 1 Copying	Allows the user to compress 2 or 4 pages on to a	Broadcasting
	single A4 sheet	Grey Scale

Сорупд	single A4 sheet
Scale	256 shades of grey (8 bit)
ipt Copying	Produces clearer copies of receipts
ge Text Copy ⁸	Makes reading copied documents easier if the size of the text on the original document is small
ed (duplex) Copy	Yes
in	
ner Type	Dual CIS (Contact Image Sensor)
ur & Monochrome Scanning	Yes
Speed Monochrome	27ipm (images per minute)
Speed Colour	21ipm (images per minute)
Speed 2-sided (duplex) (A4)	Single Pass up to 54ipm Monochrome and 32ipm colour
Resolution from ner Glass	Up to 1,200 x 2,400dpi
polated Scan Iution	Up to 19,200 x 19,200dpi
Resolution from ADF	Up to 600 x 600dpi
ur Depth	48 bit colour Processing (Input) 24 bit colour Processing (Output)
Scale	16bit colour Processing (Input) 8bit colour Processing (Output)
nner Functions	
to E-mail	Scan and share documents via e-mail client
to OCR	Scan documents directly into your word processing application for instant editing
to Image	Scan into your preffered image editing software
to File	Scan to a file on your computer
to USB	Scan directly to a USB flash drive
to Network Folder	Scan documents to a nominated folder on your network without using a Windows PC
to FTP	Scan documents directly to a FTP server
Profile3	Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings
to SharePoint4&7	Scan documents directly into SharePoint
to Searchable PDF	Scan documents to searchable PDF files
Deskew	Yes
Colour Removal	Yes
an	Yes
2 Scan	Yes
locan	
nner Drivers	
ows®	TWAIN & WIA Windows [®] 10 (32 & 64 bit editions), Windows [®] 8 (32 & 64 bit editions), Windows [®] 7 (32 & 64 bit editions)
ntosh⁵	TWAIN macOS v10.11.6, 10.12.x, 10.13.x
5	SANE (32 & 64 bit editions)
	. ,
/lodem	33,600bps (Super G3)
ax Send ^{3&8} and ive ^{4&8}	Send and Receive faxes directly from your PC
ed (duplex) Fax Receive	Yes
ory Transmission	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
of Paper Reception	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Correction Mode (ECM)	The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)
Reduction	When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet
dcasting	Send the same fax message up to 250 locations
Scale	256 shades (8 bit) of grey are available for faxing
Page 3	
uye u	

Allows the user to copy both sides of an ID card to a

Fleet Management Tools	
Unattended Installer4	Ability to centrally deploy and customise our drivers and software
MSI Installer ⁴	Modular installers that can be distributed through Active Directory®
BRAdmin Light ⁴⁸⁵	LAN/WAN management software
Embedded Web Server	Web based print management software embedded onto the device
Driver Deployment Wizard ^{4 &5}	Easily create print drivers for hassle free deployment over your network
Software	
Brother iPrint&Scan (Windows & Mac)⁵	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from windows or macOS PC
Nuance [®] PaperPort 14 SE5	Document management & sharing program
Network and Security	
Wired Network	Ethernet 10Base-T/100Base-TX
Wired Network Security	APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP- TTLS), Kerberos
Wireless Network	IEEE 802.11b/g/n (Infrastructure Mode) IEEE 802.11g/n (Wi-Fi Direct)
Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES) *WI-Fi Direct supports WPA2-PSK (AES) only.APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos
Wireless Setup Support	Wi-Fi Protected Setup (WPS)
Wireless Applications	Vertical Pairing
Wi-Fi Direct™	Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)
IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/ v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client
IPv6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print/Scan)
IP Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
Setting Lock	Secures access to the devices control panel by locking it
Secure Function Lock 3.0	Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users
Secure Print	Protect print jobs with a 4 digit release code required at the device in order for them to be printed
E-mail Notifications	Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing
E-mail Reports	Receive usage reports on a regular basis via e-mail
Supplies and Accessories	

Up to 1,000 pages1 C/M/Y/BK

Up to 1,300 pages1 C/M/Y (TN-253)

Up to 18,000 pages1 (1 page / job) (DR-253CL)

Dimensions and Weights	
Without Carton (WxDxH)	410 x 509 x 414 mm -24.5kg
With Carton (WxDxH)	623 x 523 x 568 mm - 28.9kg
Duty Cycles	
Recommended Monthly	300 to 1,500 pages ¹¹ monthly print volume
Environment	
Power Consumption	Printing - 430W, Ready - 75W, Quite Mode - 260W, Sleep - 10.1W, Deep Sleep - 1.2W, Off - 0.04W
TEC Value	1.3 kWh/Week
Sound Pressure Level	Printing - 47dB(A) Ready - 33dB(A) Quite Mode - 43dB(A)
Sound Power	Printing - 6.11B(A) Monochrome / 6.16B(A) Colour Ready - 4.67B(A), Quite Mode - 5.71B(A) Monochrome / 5.73B(A) Colour B(A), Deep Sleep - Inaudible
Power Saving	This enables the printer to consume less energy when not in use
Toner Save Mode	This reduces the toner usage and helps to reduce the total cost of printer ownership
Energy Star	Yes
Eco Mode	Yes

1 Approx declared yield value in accordance with ISO/IEC 19798.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows[®] only. 5 Optional download.

6 ISO print speed based on ISO/IEC 24734 (after first set of ISO test pages).
 7 Requires Brother Software.

8 Must be web connected.

9 Brother is the winner of PC Mag Readers' Choice Award for 9 years in a row and Business

9 Brother is the winner of PC Mag Readers' Choice Award for 9 years in a row and Business Choice Award for 5 years in a row.
10 ISO copy speed is based on ISO/IEC 24735.
11 The recommended range of monthly printed pages to achieve the best possible performance and printer life. Printers are intended to handle occasional usage beyond the range with little or no effect. Consistently printing above the recommended print volume, however, may adversely affect the print quality or life of the machine. It is always best to choose a printer with an appropriate recommended print volume to allow for any anticipated increase in printing needs.
* Windows® Server supports network printing only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call Brother this approach Brother Earth.

www.brotherearth.com



youtube.com/user/BrotherAU/videos

Earth



linkedin.com/company/brother-international-australia/



Drum Unit

In-box Toner

Standard-Yield Toner

High-Yield Toner